

**Case 3392*****Hemerobius elegans* Stephens, 1836 (currently *Symphorobius elegans*) and *Hemerobius elegans* Guérin-Méneville, 1844 (currently *Vieira elegans*) (Insecta, Neuroptera): proposed conservation of the specific names**

John D. Oswald

Department of Entomology, Texas A&M University, College Station,  
TX 77843-2475, U.S.A. (e-mail: j-oswald@tamu.edu)

**Abstract.** The purpose of this application, under Article 23.9.5 of the Code, is to conserve the specific names *Hemerobius elegans* Stephens, 1836 (currently *Symphorobius elegans*) (HEMEROBIIDAE) and *Hemerobius elegans* Guérin-Méneville, 1844 (currently *Vieira elegans*) (CHRYSOPIDAE). Although *Hemerobius elegans* Stephens, 1836 and *Hemerobius elegans* Guérin-Méneville, 1844 are primary homonyms, they were treated congenerically only for the seven-year period from 1844 to 1851, after which the junior name was removed from *Hemerobius*. The senior homonym is a European brown lacewing; the junior homonym is a Neotropical green lacewing. Both names are in current use. It is proposed that *Hemerobius elegans* Guérin-Méneville, 1844 be conserved by ruling that it is not invalid by reason of being a junior homonym of *Hemerobius elegans* Stephens, 1836.

**Keywords.** Nomenclature; taxonomy; CHRYSOPIDAE; HEMEROBIIDAE; *Vieira elegans*; *Symphorobius elegans*; green lacewings; brown lacewings; Costa Rica; Suriname; Brazil; Europe.

---

1. Stephens (1836, p. 113) described *Hemerobius elegans*, a brown lacewing, from England, although the name had been used earlier in an unavailable context by Stephens (1829, p. 312). The species was transferred to *Symphorobius* Banks, 1904 by Banks (1905, p. 40), where it is placed today. It has also been treated briefly in the genera *Mucropalpus* Rambur, 1842 by Schoch (1885, p. 20) and *Eurobius* Krüger, 1922 by Krüger (1922, p. 171), neither placement of which gained wide acceptance. *Symphorobius elegans* is currently known from at least 29 countries across Europe (Aspöck et al., 2001, p. 149). The genus *Symphorobius* is currently classified as belonging to the subfamily SYMPHEROBIINAE (HEMEROBIIDAE) (Aspöck et al., 2001, pp. 145–147).

2. Guérin-Méneville (1844, p. 388) described *Hemerobius elegans*, a green lacewing, from Brazil ('Rio-Janeiro'). It was transferred to the genus *Chrysopa* Leach in Brewster, 1815 by Schneider (1851, p. 134), to *Nodita* Navás, 1916 by Navás (1928, p. 125), to *Berchmansus* Navás, 1913(b) by Banks (1944, p. 29, as '*Berkmansus*' (sic)), and subsequently to *Vieira* Navás, 1913(a) by Tauber (2007, p. 123). This is a rare species that is currently known from Costa Rica, Suriname and southeastern Brazil. The genus *Vieira*, with type species *Leucochrysa leschenaulti* Navás, 1911, was placed by Adams (1978, p. 211) in the tribe LEUCOCHRYSINI (CHRYSOPIDAE).

CHRYSOPTERIDAE), but has recently been transferred to the tribe BELONOPTERYGINI (CHRYSOPTERIDAE, CHRYSOPTERIDAE) by Tauber (2007, p. 123).

3. *Symphorobius elegans* (Stephens, 1836) is a well-established name for a common European brown lacewing. Aspöck et al. (1980, p. 228; 2001, p. 149) list more than 120 literature citations for this name, by more than 50 authors, during the period 1957 to 2001. *Vieira elegans* (Guérin-Méneville, 1844) is a rare species with few citations in the literature. The following six post-1956 references have been identified that cite the species-group name *elegans* Guérin-Méneville, 1844 as a valid name (all combinations in *Berchmansus* except as noted): Penny, 1977, p. 15; Brooks & Barnard, 1990, p. 244; Penny, 2002, p. 190; Tauber et al., 2006, p. 221; Tauber, 2006; Tauber, 2007 (in *Vieira*).

4. Although *Hemerobius elegans* Stephens, 1836 and *Hemerobius elegans* Guérin-Méneville, 1844 are primary homonyms, they were congeneric in *Hemerobius* for only the short period from 1844 to 1851, when the latter species was removed to the genus *Chrysopa*. Because the two species are currently placed in different families, there seems little possibility that the two species will ever be treated in the future as congeneric. The junior homonym *Vieira elegans* (Guérin-Méneville) has no available synonyms, and therefore cannot be replaced with a pre-existing name. Nomenclatural stability in this case would be best achieved by conserving both names in their present usages, rather than by requiring the proposal of a new replacement name for the junior homonym.

5. The International Commission on Zoological Nomenclature is accordingly asked:

- (1) to use its plenary power to rule that the name *elegans* Guérin-Méneville, 1844, as published in the binomen *Hemerobius elegans*, is not invalid by reason of being a junior primary homonym of *elegans* Stephens, 1836, as published in the binomen *Hemerobius elegans*;
- (2) to place on the Official List of Specific Names in Zoology the following names:
  - (a) *elegans* Stephens, 1836, as published in the binomen *Hemerobius elegans*;
  - (b) *elegans* Guérin-Méneville, 1844, as published in the binomen *Hemerobius elegans*, with the endorsement that it is not invalid by reason of being a junior primary homonym of *elegans* Stephens, 1836, as published in the binomen *Hemerobius elegans*, as ruled in (1).

### Acknowledgements

I would like to thank the following colleagues for reviewing earlier versions of the manuscript of this proposal and for supporting its intent: Norman D. Penny, Catherine A. Tauber, Enrique V. González Olazo, and Carmen Reguilón.

### References

- Adams, P.A. 1978. Zoogeography of New World Chrysopidae, a progress report. *Folia Entomologica Mexicana*, **39/40**: 210–211. [BotN #1302]
- Aspöck, H., Aspöck, U. & Hölzel, H. 1980. *Die Neuropteren Europas*, vol. 1. 495 pp. Goecke and Evers, Krefeld. [BotN #1112]
- Aspöck, H., Hölzel, H. & Aspöck, U. 2001. Kommentierter Katalog der Neuroptera (Insecta: Raphidioptera, Megaloptera, Neuroptera) der Westpaläarktis. *Denisia*, **2**: 1–606. [BotN #9847]

- Banks, N.** 1904. A list of neuropteroid insects, exclusive of Odonata, from the vicinity of Washington, D.C. *Proceedings of the Entomological Society of Washington*, **6**: 201–217. [BotN #23]
- Banks, N.** 1905. A revision of the Nearctic Hemerobiidae. *Transactions of the American Entomological Society*, **32**: 21–51. [BotN #31]
- Banks, N.** 1944. Neuroptera of northern South America. Part III. Chrysopidae. *Boletín de Entomología Venezolana*, **3**: 1–34. [BotN #116]
- Brooks, S.J. & Barnard, P.C.** 1990. The green lacewings of the world: a generic review (Neuroptera: Chrysopidae). *Bulletin of the British Museum of Natural History, Entomology*, **59**: 117–286. [BotN #6991]
- Guérin-Méneville, F.E.** 1829–1838. *Iconographie du règne animal de G. Cuvier, ou représentation d'après nature de l'une des espèces les plus remarquables, et souvent non encore figurées, de chaque genre d'animaux. Insectes*. 576 pp. Paris. [BotN #2707]
- Krüger, L.** 1922. Hemerobiidae. Beiträge zu einer Monographie der Neuropteren-Familie der Hemerobiiden. *Stettiner Entomologische Zeitung*, **83**: 138–172. [BotN #3476]
- Leach, W.E.** 1815. Entomology. Pp. 57–172 in Brewster, D. (Ed.), *Edinburgh Encyclopaedia*, vol. 9, pt. 1. Edinburgh. [BotN #3657]
- Navás, L.** 1911. Chrysopides nouveaux (Ins. Neur.). *Annales de la Société Scientifique de Bruxelles*, **35**(2): 266–282. [BotN #525]
- Navás, L.** 1913a. Crisópidos sudamericanos. *Brotéria (Zoológica)*, **11**: 73–104, 149–168. [BotN #569]
- Navás, L.** 1913b. Les Chrysopides (Ins. Névr.) du Musée de Londres [Ia]. *Annales de la Société Scientifique de Bruxelles*, **37**(2): 292–330. [BotN #572]
- Navás, L.** 1916. Neurópteros Sudamericanos. Tercera [III] serie. Neurópteros del Brasil recogidos por el R.P. Joaquín da Silva Tavares S.J. *Brotéria (Zoológica)*, **14**: 14–35. [BotN #657]
- Navás, L.** 1928. Insectos del Museo de Hamburgo. Primera [I] serie. *Boletín de la Sociedad Entomológica de España*, **11**: 59–67, 90–100, 121–138 [Errata, **11**: 165]. [BotN #838]
- Penny, N.D.** 1977. Lista de Megaloptera, Neuroptera e Raphidioptera do México, América Central, ilhas Caraibas e América do Sul. *Acta Amazonica*, **7**(4)(Suplemento): 1–61. [BotN #5098]
- Penny, N.D.** 2002. Family Chrysopidae. Pp. 187–227 (text), 301–373 (figures) in Penny, N.D. (Ed.), *A Guide to the Lacewings (Neuroptera) of Costa Rica. Proceedings of the California Academy of Sciences*, (4)**53**: 161–457. [BotN #10232]
- Rambur, J.J.P.** 1842. *Histoire Naturelle des Insectes, Névroptères*. [xviii], 534 pp. Librairie encyclopédique de Roret. Fain et Thunot, Paris. [BotN #5314]
- Schneider, W.G.** [as: G.T.]. 1851. *Symbolae ad monographiam generis Chrysopae, Leach*. 178 pp. Apud Ferdinandum Hirt, Vratislaviae. [BotN #5579]
- Schoch, G.** 1885. *Neuroptera Helvetiae, analytisch bearbeitet als Grundlage einer Neuropteren fauna der Schweiz. Fauna Insectorum Helvetiae*. 94 pp. Schaffhausen. [BotN #5582]
- Stephens, J.F.** 1829. *A systematic catalogue of British insects: being an attempt to arrange all the hitherto discovered indigenous insects in accordance with their natural affinities . . .*, vol. 1. [xxxvi], 416 pp. London. [BotN #5862]
- Stephens, J.F.** 1836. *Illustrations of British entomology; or, a synopsis of indigenous insects: containing their generic and specific distinctions; with an account of their metamorphoses, times of appearance, localities, food, economy . . . Mandibulata*, vol. 6. 240 pp. Baldwin & Cradock, London. [BotN #5863]
- Tauber, C.A.** 2006. A new species of *Berchmansus* (Neuroptera: Chrysopidae) and nomenclatural notes on *B. elegans* (Guérin-Méneville). *Journal of the Entomological Society of Washington*, **108**: 830–841. [BotN #11856]
- Tauber, C.A., Tauber, M.J. & Albuquerque, G.S.** 2006. *Berchmansus elegans* (Neuroptera: Chrysopidae): larval and adult characteristics and new tribal affiliation. *European Journal of Entomology*, **103**: 221–231. [BotN #11792]
- Tauber, C.A.** 2007. Review of *Berchmansus* and *Vieira* and description of two new species of *Leucochrysa* (Neuroptera: Chrysopidae). *Annals of the Entomological Society of America* **100**: 110–138. [BotN #11900]

(For more complete bibliographical and dating information, and links to pdfs of some works, see the cited reference numbers for the *Bibliography of the Neuropterida* [BotN] at [http://insects.tamu.edu/research/neuropterida/neur\\_bibliography/bibhome.html](http://insects.tamu.edu/research/neuropterida/neur_bibliography/bibhome.html) [Accessed in May, 2007]).

Acknowledgement of receipt of this publication was published in BZN **64**: 154.

---

Comments on this case are invited for publication (subject to editing) in the *Bulletin*; they should be sent to the Executive Secretary, I.C.Z.N., c/o Natural History Museum, Cromwell Road, London SW7 5BD, U.K. (e-mail: [iczn@nhm.ac.uk](mailto:iczn@nhm.ac.uk)).